



EVERSTONE EXCLUSIVE PORCELAIN COLLECTION

www.everstone.com

A vertical image showing a close-up of a marble surface with light beige and cream tones, accented by thin, flowing veins of gold and grey.

CONTENTS

3 / MARINE

PORCELAIN TILE

6 / ROMA ANTICA 3D

PORCELAIN TILE

9 / EUROMARMO

PORCELAIN TILE & MOSAIC

17 / JURA

PORCELAIN TILE

23 / ONYX

PORCELAIN TILE

27 / MAYASTONE

PORCELAIN TILE & MOSAIC

33 / ROMESTONE

PORCELAIN TILE

38 / ALPINE

PORCELAIN TILE



Product Information

FINISH / SURFACE: Natural
COLOURS: Nature / Emerald / Ocean
SIZES: 1200x600x9 / 600x600x9




NATURE




Natural Finish




EMERALD




Natural Finish



OCEAN



Natural Finish



Name	Product Code	Nominal Size	Finish	Faces
Marine Nature	GP-MN-NAT6060N	600x600x9	Natural	12
Marine Nature	GP-MN-NAT12060N	1200x600x9	Natural	6
Marine Emerald	GP-MN-EMR6060N	600x600x9	Natural	12
Marine Emerald	GP-MN-EMR12060N	1200x600x9	Natural	6
Marine Ocean	GP-MN-OCN6060N	600x600x9	Natural	12
Marine Ocean	GP-MN-OCN12060N	1200x600x9	Natural	6


NATURE VARIATION

1200x600 - 6 faces
600x600 - 12 faces




EMERALD VARIATION

1200x600 - Veincut - 6 faces
600x600 - Veincut - 12 faces



OCEAN VARIATION


1200x600 - 6 faces
600x600 - 12 faces





Product Information

FINISH / SURFACE: 3D Honed
COLOURS: Duomo Crosscut / Duomo Veincut, Foro Crosscut / Foro Veincut
SIZES: 1200x600x9 / 600x600x9



DUOMO CROSSCUT



3D Honed Finish

DUOMO VEINCUT



3D Honed Finish

FORO CROSSCUT



3D Honed Finish

FORO VEINCUT



3D Honed Finish

Name	Product Code	Nominal Size	Finish	Faces
RomaAntica 3D Duomo Crosscut	GP-RA-DUCC-6060H	600x600x9	3D Honed	10
RomaAntica 3D Duomo Veincut	GP-RA-DUVN-6060H	600x600x9	3D Honed	12
RomaAntica 3D Foro Crosscut	GP-RA-FOCC-6060H	600x600x9	3D Honed	10
RomaAntica 3D Foro Veincut	GP-RA-FOVN-6060H	600x600x9	3D Honed	12
RomaAntica 3D Duomo Crosscut	GP-RA-DUCC-12060H	1200x600x9	3D Honed	5
RomaAntica 3D Duomo Veincut	GP-RA-DUVN-12060H	1200x600x9	3D Honed	6
RomaAntica 3D Foro Crosscut	GP-RA-FOCC-12060H	1200x600 x9	3D Honed	5
RomaAntica 3D Foro Veincut	GP-RA-FOVN-12060H	1200x600x9	3D Honed	6

DUOMO CROSSCUT VARIATION

1200x600 - Crosscut - 5 faces

600x600 - Crosscut - 10 faces



DUOMO VEINCUT VARIATION

1200x600 - Veincut - 6 faces

600x600 - Veincut - 12 faces



FORO CROSSCUT VARIATION

1200x600 - Crosscut - 5 faces

600x600 - Crosscut - 10 faces



DUOMO VEINECUT VARIATION

1200x600 - Veincut - 6 faces

600x600 - Veincut - 12 faces



Euromarmo™

Porcelain Tile & Mosaic



TOP / **VERDE BELLA** 1200X600mm

BOTTOM / **VERDE BELLA & CARRARA VENATINO CHECKER BOARD** 300x300mm



TOP / **TAJ MAHAL** 1200X600mm
BOTTOM / **TAJ MAHAL** FEATHER MOSAIC



TOP / **CARRARA VENATINO** 600X600mm

BOTTOM / **TAJ MAHAL & CARRARA VENATINO CHECKER BOARD** 300x300mm



TOP / **CALACATTA GOLD** 600x600mm
BOTTOM / **CALACATTA GOLD** 1200x600mm



TOP / **PIETRA GREY** 600x600mm

BOTTOM / **NERO MARQUINA & CARRARA VENATINO CHECKER BOARD** 300x300mm

CARRARA VENATINO



Polished & Honed

Size (mm):

- 1200x600x12
- 600x600x10
- 300x300x10
- 150x150x10

VERDE BELLA



Polished & Honed

Size (mm):

- 1200x600x12
- 600x600x10
- 300x300x10
- 150x150x10

TAJ MAHAL




Polished & Honed

Size (mm):

- 1200x600x12
- 600x600x10
- 300x300x10
- 150x150x10

CALACATTA



Polished & Honed

Size (mm):

- 1200x600x13
- 900x600x11
- 600x600x10
- 600x300x10
- 300x300x10

TRAVERTINE CHIARO




Matt Only

Size (mm):

- 1200x600x12
- 600x600x10
- 600x300x10

PEARL WHITE



Polished & Honed

Size (mm):

- 1200x600x12
- 600x600x10
- 600x300x10

CALACATTA GOLD



Polished & Honed

Size (mm):

- 1200x600x13
- 900x600x11
- 600x600x10
- 600x300x10
- 300x260x10(Hex)

TRAVERTINE SILVER GOLD




Matt Only

Size (mm):

- 1200x600x12
- 600x600x10
- 600x300x10

PIETRA GREY




1200x600: Polished & Honed
900x600: Polished only
600x600, 600x300: Polished, Matt & Grip

Size (mm):

- 1200x600x13
- 900x600x11
- 600x600x10
- 600x300x10

NERO MARQUINA




Polished & Honed

Size (mm):

- 600x600x10
- 600x300x10
- 300x300x10
- 150x150x10

STATUARIO VENATO




900x600: Polished & Honed
600x600, 600x300, 300x75: Polished Only

Size (mm):

- 900x600x11
- 600x600x10
- 600x300x10
- 300x75x10

ICE GREY



1200x600: Polished & Honed
600x600, 600x300: Polished, Matt & Grip
300x300: Polished & Matt

Size (mm):

- 1200x600x13
- 600x600x10
- 600x300x10
- 300x260x10(Hex)
- 300x75x10

BRECCIA GRIGIA



Polished & Honed

Size (mm):

- 900x600x11
- 600x600x10
- 600x300x10

CREMA MARFIL



Polished Only

Size (mm):

- 600x600x10
- 600x300x10

GRIGIO



Polished Only

Size (mm):

- 900x600x11
- 600x600x10
- 600x300x10

TRAVERTINE CHIARO



FEATHER 83x298
338x292x10mm sheet



HEXAGON 83x96
260x300x10mm sheet



BAYLINE 600x200x10mm (Sheet)

TRAVERTINE SILVER GOLD



FEATHER 83x298
338x292x10mm sheet



HEXAGON 83x96
260x300x10mm sheet



BAYLINE 600x200x10mm (Sheet)



TRAVERTINE CHIARO FEATHER MOSAIC

TECHNICAL SPECIFICATIONS				RECOMMENDED APPLICATIONS	
	Water Absorption (Q/JY2-2009)	< 0.49%		Chemical Resistance (Q/JY2-2009)	PASSED (GA – GLA)
	Breaking Strength (Q/JY2-2009)	3335N		Slip Resistance	
	Modulus of Rupture (Q/JY2-2009)	28Mpa		<u>Honed Finish</u>	
	Crazing Resistance (Q/JY2-2009)	PASSED		▪ Oil Ramp	R9
	Frost Resistance (Q/JY2-2009)	PASSED		▪ Wet pendulum	P1
	Thermal Shock Resistance (Q/JY2-2009)	NO CRACK		▪ ANSI A137.1 DCOF	0.47
	Stain Resistance (ASTM C1378-04)	PASSED – A		<u>Matt Finish</u>	
				▪ Oil Ramp	R10
				▪ Wet pendulum	P3
				<u>Grip Finish</u>	
				▪ Oil Ramp	R11
				▪ Wet pendulum	P5
				Surface Abrasion (PEI) (AS 1459-7 : 1999)	4
				Mohs Hardness (EN 101 : 1986)	6
					Shade Variation V3

* Subject to local slip resistance regulations for area of use or as recommended by Standard Australia guide HB 198:2014

DUNE 600x600 mm EZI Grip

EZIGRIPTM
Smooth When Dry Grip When Wet

JURA


Porcelain Tile

A NATURAL MIXTURE OF
LIMESTONE AND
QUARTZITE IN AN ELEGANT
AND MODERN STYLE.



The remarkable EZIGrip tile surface possesses a true Non-Slip property when wet, without compromising the soft, easy, and smooth texture in appearance, touch, and feel when dry. The transformative functionality of these tiles facilitates seamless transitions between multiple areas, making them easy to maintain in the long term and simplifying the selection process with confidence.

It is Easy, It is safe – It is EZIGrip.



The micro finish add a subtle texture to the tile, providing a low-gloss appearance.







TOP / **SUNRISE** 1200X600 mm EZIGrip™
BOTTOM / **DUNE** 600X600 mm EZIGrip™

SUNRISE

1200x600x10mm

600x600x10mm

600x600x10mm



600x300x10mm

600x300x10mm

DUNE

1200x600x10mm

600x600x10mm

600x600x10mm



600x300x10mm

600x300x10mm

Name	Product Code	Nominal Size	Finish	Faces	Pc/Box
Jura Sunrise	GP-JU-SRE6030E	600x300	EZIGrip (P4)	18	8
Jura Sunrise	GP-JU-SRE6060E	600x600	EZIGrip (P4)	9	4
Jura Sunrise	GP-JU-SRE12030E	1200x600	EZIGrip (P4)	6	2
Jura Dune	GP-JU-DUN6030E	600x300	EZIGrip (P4)	18	8
Jura Dune	GP-JU-DUN6060E	600x600	EZIGrip (P4)	9	4
Jura Dune	GP-JU-DUN12060E	1200x600	EZIGrip (P4)	6	2

TECHNICAL SPECIFICATIONS				RECOMMENDED APPLICATIONS			
	Water Absorption (ISO10545-3)	≤ 0.5% (Result 0.06%)		Chemical Resistance (ISO10545-13)	PASS (A—LA—HA)	Exterior Wall	
	Breaking Strength (ISO10545-4)	PASS ≥ 1300 N		Stain Resistance (ISO10545-14)	PASS Class 5	Interior Wall	
	Modulus of Rupture (ISO10545-4)	PASS ≥ 35 N/MM²				Residential Floor	
	Abrasion Resistance (ISO10545-7)	CLASS 4		Slip Resistance (AS/NZS 4586 Appendix A, D)		Commercial / External Floors *	
	Frost Resistance (ISO10545-12)	PASS		<u>Matt Finish</u> ▪ Oil Ramp ▪ Wet pendulum	R11 P4	 Shade Variation	V3

[#] Subject to local slip resistance regulations for area of use or as recommended by Standard Australia guide HB 198:2014



CITRINE 1200x600 mm Polished

ONYX

Porcelain Tile



ICE 1200X600 mm Faces



CITRINE 1200X600 mm Faces



ICE 600X600 mm Faces



CITRINE 600X600 mm Faces

1200x600x10mm

600x600x10mm

1200x600x10mm

600x600x10mm

Name	Product Code	Nominal Size	Finish	Faces	Pc/Box
Onyx Ice	GP-ONY-ICE6060M	600x600	Matt	12	4
Onyx Citrine	GP-ONY-CIT6060M	600x600	Matt	12	4
Onyx Ice	GP-ONY-ICE6060P	600x600	Polished	12	4
Onyx Citrine	GP-ONY-CIT6060P	600x600	Polished	12	4
Onyx Ice	GP-ONY-ICE12060M	1200x600	Matt	6	4
Onyx Citrine	GP-ONY-CIT12060M	1200x600	Matt	6	4
Onyx Ice	GP-ONY-ICE12060P	1200x600	Polished	6	4
Onyx Citrine	GP-ONY-CIT6060P	1200x600	Polished	6	4

TECHNICAL SPECIFICATIONS					RECOMMENDED APPLICATIONS		
	Water Absorption (ISO10545-3)	≤ 0.5% (Result 0.06%)		Chemical Resistance (ISO10545-13)	PASS (A–LA–HA)	Exterior Wall	
	Breaking Strength (ISO10545-4)	PASS ≥ 1300 N		Stain Resistance (ISO10545-14)	PASS Class 5	Interior Wall	
	Modulus of Rupture (ISO10545-4)	PASS ≥ 35 N/MM ²				Residential Floor	
	Abrasion Resistance (ISO10545-7)	CLASS 4		Slip Resistance (AS/NZS 4586 Appendix A, D)		Commercial Floor #	
	Frost Resistance (ISO10545-12)	PASS		Matt Finish ▪ Oil Ramp ▪ Wet pendulum	R10 P3	 Shade Variation	V3

Subject to local slip resistance regulations for area of use or as recommended by Standard Australia guide HB 198:2014

PEARL 1200x600 mm & 600x600 EZIGrip

EZIGRIP™
Smooth When Dry Grip When Wet

MAYASTONE

Porcelain Tile & Mosaic



SILK 1200x600mm EZIGrip™



PEARL 1200x600mm EZIGrip™



SILK 600x600mm EZIGrip™

PEARL		
1200x600x10mm	600x600x10mm	600x300x10mm
SILK		
1200x600x10mm	600x600x10mm	600x300x10mm

Name	Product Code	Nominal Size	Finish	Faces	Pc/Box
Mayastone Silk	GP-MA-SLK6030E	600x300	EZIGrip (P4)	18	6
Mayastone Silk	GP-MA-SLK6060E	600x600	EZIGrip (P4)	9	4
Mayastone Silk	GP-MA-SLK12060E	1200x600	EZIGrip (P4)	6	2
Mayastone Pearl	GP-MA-PER6030E	600x300	EZIGrip (P4)	18	6
Mayastone Pearl	GP-MA-PER6060E	600x600	EZIGrip (P4)	9	4
Mayastone Pearl	GP-MA-PER12060E	1200x600	EZIGrip (P4)	6	2

TECHNICAL SPECIFICATIONS				RECOMMENDED APPLICATIONS			
	Water Absorption (ISO10545-3)	≤ 0.5% (Result 0.06%)		Chemical Resistance (ISO10545-13)	PASS (A-LA-HA)	Exterior Wall	☒
	Breaking Strength (ISO10545-4)	PASS ≥ 1300 N		Stain Resistance (ISO10545-14)	PASS Class 5	Interior Wall	☒
	Modulus of Rupture (ISO10545-4)	PASS ≥ 35 N/MM²				Residential Floor	☒
	Abrasion Resistance (ISO10545-7)	CLASS 4		Slip Resistance (AS/NZS 4586 Appendix A, D)		Commercial / External Floors *	☒
	Frost Resistance (ISO10545-12)	PASS		Matt Finish ▪ Oil Ramp ▪ Wet pendulum	R11 P4	 Shade Variation	V3

31

MOSAIC


COZY (A & B)
Sheet Size: 500x675mm



PEARL



SILK



SHEETS LAYOUT

NOVA BRICK
Sheet Size: 300x300mm



SILK

PEARL



SHEETS LAYOUT



Pearl 600x600 - Floor; Pearl Cozy Interlock Tile - Wall. Matt Finish.




BIANCO 1200X600 mm

Romestone

Porcelain Tile




TOP / **ARGENTO** 1200X600 mm
BOTTOM / **ARGENTO** 600X600 mm



TOP / **BIANCO** 1200X600 mm
BOTTOM / **BIANCO** 600X600 mm



Argento 1200 x 600 x 11mm
Polished Only



Bianco 1200 x 600 x 11mm
Matt & Polished




600x600x10mm
Matt, Polished



600x600x10mm
Matt, Polished



600x300x10mm
Matt, Polished



600x300x10mm
Matt, Polished




300 x 300 x 10mm
Matt Only



Name	Product Code	Nominal Size	Finish	Box/Sqm
Romestone Bianco	GP-RS-BIA3030M	300x300	Matt	0.90
Romestone Bianco	GP-RS-BIA6030M	600x300	Matt	1.08
Romestone Bianco	GP-RS-BIA6030P	600x300	Polished	1.08
Romestone Bianco	GP-RS-BIA6060M	600x600	Matt	1.44
Romestone Bianco	GP-RS-BIA6060P	600x600	Polished	1.44
Romestone Bianco	GP-RS-BIA12060M	1200x600	Matt	1.44
Romestone Bianco	GP-RS-BIA12060P	1200x600	Polished	1.44
Romestone Argento	GP-RS-ARG3030M	300x300	Matt	0.90
Romestone Argento	GP-RS-ARG6030M	600x300	Matt	1.08
Romestone Argento	GP-RS-ARG6030P	600x300	Polished	1.08
Romestone Argento	GP-RS-ARG6060M	600x600	Matt	1.44
Romestone Argento	GP-RS-ARG6060P	600x600	Polished	1.44
Romestone Argento	GP-RS-ARG12060P	1200x600	Polished	1.44

TECHNICAL SPECIFICATIONS				RECOMMENDED APPLICATIONS		
	Water Absorption (ISO 10545-3:2012, Group Bla)	< 0.50%		Thermal Shock Resistance (ISO 10545-9:2012)	PASSED	
	Breaking Strength (ISO 10545-4:2012)	2470N		Chemical Resistance (ISO 10545-13:2012)	PASSED	
	Modulus of Rupture (ISO 10545-4:2012)	48.4N/mm2		Stain Resistance (ISO 10545-14:2012)	CLASS 5	
	Crazing Resistance (ISO 10545-11:2012)	PASSED		Slip Resistance (AS 4586-2013)		
	Frost Resistance (ISO 10545-12:2012)	PASSED	<u>Matt Finish</u> - Oil Ramp R10 - Wet pendulum P3 <u>Grip Finish</u> - Oil Ramp R11 - Wet pendulum P5			
					Shade Variation	V2

Subject to local slip resistance regulations for area of use or as recommended by Standard Australia guide HB 198:2014



GLACIER 1200x600 mm Matt

ALPINE

Porcelain Tile



GLACIER 600x600mm Matt




Cliff 600x600mm Matt

Glacier



1200x600mm




600x600mm



600x300mm


Cliff



1200x600mm



600x600mm



600x300mm

± 10MM Matt Finish

Name	Product Code	Nominal Size	Faces	Pc/Box
Alpine Glacier	GP-AP-GLA12060M	1200x600	8	2
Alpine Glacier	GP-AP-GLA6060M	600x600	16	4
Alpine Glacier	GP-AP-GLA6030M	600x300	32	8
Alpine Cliff	GP-AP-CLF12060M	1200x600	8	2
Alpine Cliff	GP-AP-CLF6060M	600x600	16	4
Alpine Cliff	GP-AP-CLF6030M	600x300	32	8

TECHNICAL SPECIFICATIONS				RECOMMENDED APPLICATIONS	
	Water Absorption (ISO10545-3)	≤ 0.5% (Result 0.07%)		Chemical Resistance (ISO10545-13)	PASS (A-LA-HA)
	Breaking Strength (ISO10545-4)	2338 N		Stain Resistance (ISO10545-14)	PASS Class 5
	Modulus of Rupture (ISO10545-4)	47.4 N/MM ²		Slip Resistance (AS/NZS 4586 Appendix A, D)	R10 P3
	Abrasion Resistance (ISO10545-7)	CLASS 4		Frost Resistance (ISO10545-12)	PASS
				Matt Finish	
				▪ Oil Ramp	
				▪ Wet pendulum	
					Exterior Wall
					Interior Wall
					Residential Floor
					Commercial Floor #
					Shade Variation V3

Subject to local slip resistance regulations for area of use or as recommended by Standard Australia guide HB 198:2014



Call +61 2 9795 2000

20 Princes Road East, Auburn NSW 2144, Australia

info@everstone.com.au

www.everstone.com